

FIG. 1

100E30" 351E4600




FIG. 2

FOOEO" ESTEHO




FIG. 3

TOEBO 854660




FIG. 4

FOOEB0" B5TE4660




FIG. 5

Figure 1 is a chromatogram showing the separation of 17 components. The x-axis represents time in minutes, ranging from 0 to 20. The y-axis represents intensity, ranging from 0.000 to 0.040. The chromatogram displays 17 distinct peaks, labeled 1 through 17. A baseline is drawn across the chromatogram, starting at approximately 0.002 at 0 minutes and decreasing to 0.000 at 19 minutes. The peaks are as follows:

| Peak Number | Approximate Time (min) | Approximate Intensity |
|-------------|------------------------|-----------------------|
| 1           | 5.2                    | 0.019                 |
| 2           | 6.2                    | 0.018                 |
| 3           | 7.2                    | 0.014                 |
| 4           | 7.8                    | 0.013                 |
| 5           | 8.2                    | 0.019                 |
| 6           | 8.8                    | 0.012                 |
| 7           | 9.2                    | 0.018                 |
| 8           | 9.8                    | 0.008                 |
| 9           | 10.2                   | 0.006                 |
| 10          | 10.8                   | 0.008                 |
| 11          | 11.8                   | 0.023                 |
| 12          | 12.2                   | 0.016                 |
| 13          | 12.8                   | 0.038                 |
| 14          | 13.8                   | 0.013                 |
| 15          | 15.2                   | 0.008                 |
| 16          | 15.8                   | 0.006                 |
| 17          | 17.2                   | 0.008                 |

FIG. 6